

### IN THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended) A computer-implemented method comprising:  
using a data processor to parameterize ~~parameterizing~~ a routing policy, wherein the  
parameterizing includes identifying one or more common blocks of policy statements  
within the routing policy, assigning sets of parameters to elements of the one or more  
common blocks, and enabling a hierarchical arrangement of the one or more common  
blocks of policy statements within the routing policy; and  
applying the ~~parameterized-routing~~ parameterized routing policy to a route.

2. (Currently Amended) The method of claim 1 wherein the routing policy ~~comprises~~  
includes a plurality of policy statements, and wherein parameterizing ~~comprises~~ includes  
assigning parameters to at least some of the policy statements and refraining from assigning  
parameters to at least some other of the policy statements to generate the ~~parameterized-routing~~  
parameterized routing policy.

3. (Currently Amended) The method of claim 1 wherein parameterizing ~~comprises~~  
includes:  
for the routing policy, generating at least one parameterized-policy statement having an  
associated set of parameters for one of either a customer or customer class.

4. (Currently Amended) The method of claim 1 wherein the routing policy ~~comprises~~  
includes a plurality of policy statements, each policy statement having one or more differing  
values associated with one or more customers or customer classes, and  
wherein parameterizing ~~comprises~~ includes assigning parameters to the one or more  
differing values of the policy statements.

5. (Currently Amended) The method of claim 1 wherein parameterizing ~~further~~ comprises includes:

~~identifying one or more common blocks of policy statements within the policy;~~  
~~assigning sets of parameters to elements of the one or more common blocks; and~~  
storing the parameter sets in a parameter table, the table associating each set of parameters with either ~~[[the]]~~ a customer or ~~[[the]]~~ a customer class.

6. (Currently Amended) The method of claim 5 wherein parameterizing ~~further~~ comprises includes reusing the common blocks in the ~~parameterized routing~~ parameterized routing policy.

7. (Currently Amended) The method of claim 6 wherein parameterizing ~~further~~ comprises includes reusing the common blocks in another ~~parameterized routing~~ parameterized routing policy.

8. (Currently Amended) The method of claim 6 wherein reusing the common blocks ~~comprises includes~~ calling a parameterized policy with parameters from the parameter table based on one of either the customer or the customer class.

9. (Currently Amended) The method of claim 5 wherein applying ~~further comprises~~ includes determining at least one of whether to accept the route, whether to modify attributes of the route, or whether to send the route or the modified route to peer routing systems.

10. (Currently Amended) The method of claim 9 wherein when the route is accepted or modified, applying ~~further comprises~~ includes installing the accepted or the modified route.

11. (Currently Amended) The method of claim 9 ~~further comprising~~ including modifying attributes of the route, wherein modifying ~~comprises~~ includes at least one of changing an attribute, creating a new attribute, or deleting an attribute of the route.

12. (Currently Amended) The method of claim 1 ~~further comprising~~ including:  
identifying one or more common blocks of policy statements, the common blocks being common to more than one routing policy;  
generating a commonized routing policy from the one or more common blocks; and  
reusing the commonized routing policy by calling the commonized routing policy from within the more than one routing policy which uses the common blocks.

13. (Currently Amended) The method of claim 12 wherein parameterizing ~~comprises~~ includes assigning parameters to at least some of the policy statements of the common blocks to parameterize at least some policy statements in the common blocks.

14. (Currently Amended) A routing apparatus comprising:  
a processor to parameterize a routing policy, wherein the parameterizing includes identifying one or more common blocks of policy statements within the routing policy, assigning sets of parameters to elements of the one or more common blocks, and enabling a hierarchical arrangement of the one or more common blocks of policy statements within the routing policy, the processor to [[and]] apply the parameterized-~~routing~~ parameterized routing policy to a received route; and

a storage element to store parameters associated with the ~~parameterized-routing~~ parameterized routing policy.

15. (Currently Amended) The apparatus of claim 14 wherein the routing policy ~~comprises~~ includes a plurality of policy statements, and wherein the processor is to assign parameters to at least some of the policy statements and is to refrain from assigning parameters to at least some other of the policy statements to generate the ~~parameterized-routing~~ parameterized routing policy,  
and wherein the processor is to store the assigned parameters in the storage element.

16. (Currently Amended) The apparatus of claim 14 wherein the processor is to generate at least one parameterized-policy statement having an associated set of parameters for one of either a customer or a customer class.

17. (Currently Amended) The apparatus of claim 14 wherein the routing policy ~~comprises~~ includes a plurality of policy statements, each policy statement having one or more differing values associated with one or more customers or customer classes, and wherein the processor is to assign parameters to the one or more differing values of the policy statements.

18. (Currently Amended) The apparatus of claim 14 wherein the processor is to ~~identify one or more common blocks of policy statements within the policy;~~  
~~assign sets of parameters to elements of the one or more common blocks; and~~  
store the parameter sets in a parameter table of the storage element, the table associating each set of parameters with either ~~[[the]]~~ a customer or ~~[[the]]~~ a customer class.

19. (Currently Amended) The apparatus of claim 18 wherein the processor is to reuse the common blocks in the ~~parameterized-routing~~ parameterized routing policy.

20. (Currently Amended) The apparatus of claim 19 wherein the processor is to reuse the common blocks in another ~~parameterized-routing~~ parameterized routing policy.

21. (Original) The apparatus of claim 19 wherein the processor, as part of reusing, is to call a parameterized policy with parameters from the parameter table based on one of either the customer or the customer class.

22. (Original) The apparatus of claim 18 wherein the processor is to determine at least one of whether to accept the route, whether to modify attributes of the route, or whether to send the route or the modified route to peer routing systems.

23. (Original) The apparatus of claim 22 wherein when the route is accepted or modified, the processor is to install the accepted or the modified route on a router.

24. (Original) The apparatus of claim 22 wherein the processor is to modify attributes of the route by at least one of changing an attribute, creating a new attribute, or deleting an attribute of the route.

25. (Currently Amended) The apparatus of claim 14 wherein the processor is to ~~further~~ identify one or more common blocks of policy statements, the common blocks being common to more than one routing policy;  
generate a commonized routing policy from the one or more common blocks; and  
reuse the commonized routing policy by calling the commonized routing policy from within the more than one routing policy which uses the common blocks.

26. (Original) The apparatus of claim 25 wherein the processor is to assign parameters to at least some of the policy statements of the common blocks to parameterize the at least some policy statements in the common blocks.

27. (Currently Amended) A system comprising:  
a data processor;  
an information storage mechanism in communication with the data processor;  
means for using the data processor to parameterize ~~parameterizing~~ a routing policy,  
wherein the parameterizing includes identifying one or more common blocks of  
policy statements within the routing policy, assigning sets of parameters to elements  
of the one or more common blocks, and enabling a hierarchical arrangement of the  
one or more common blocks of policy statements within the routing policy;  
means for applying the ~~parameterized routing~~ parameterized routing policy to a received route; and  
means for storing parameters associated with the ~~parameterized routing~~ parameterized  
routing policy in the information storage mechanism.

28. (Currently Amended) The system of claim 27 wherein the routing policy ~~comprises~~ includes a plurality of policy statements, and wherein the means for parameterizing is to assign parameters to at least some of the policy statements and is to refrain from assigning parameters to at least some other of the policy statements to generate the ~~parameterized routing~~ parameterized routing policy,

and wherein the means for parameterizing is to store the assigned parameters in the means for storing.

29. (Currently Amended) The system of claim 27 wherein the means for parameterizing is to generate at least one parameterized-policy statement having an associated set of parameters for one of either a customer or a customer class.

30. (Currently Amended) The system of claim 27 wherein the routing policy ~~comprises~~ includes a plurality of policy statements, each policy statement having one or more differing values associated with one or more customers or customer classes, and

wherein the means for parameterizing is to assign parameters to the one or more differing values of the policy statements.

31. (Currently Amended) The system of claim 27 wherein the means for parameterizing is to further:

~~identify one or more common blocks of policy statements within the policy;~~  
~~assign sets of parameters to elements of the one or more common blocks; and~~  
store the parameter sets in a parameter table of the storage element, the table associating each set of parameters with either ~~[[the]]~~ a customer or ~~[[the]]~~ a customer class.

32. (Currently Amended) The system of claim 31 wherein the means for applying is to reuse the common blocks in the ~~parameterized routing~~ parameterized routing policy.

33. (Currently Amended) The system of claim 32 wherein the means for applying is to reuse the common blocks in another ~~parameterized routing~~ parameterized routing policy.

34. (Original) The system of claim 32 wherein the means for applying, as part of reusing, is to call a parameterized policy with parameters from the parameter table based on one of either the customer or the customer class.

35. (Original) The system of claim 31 wherein the means for applying is to determine at least one of whether to accept the route, whether to modify attributes of the route, or whether to send the route or the modified route to peer routing systems.

36. (Original) The system of claim 35 wherein when the route is accepted or modified, the means for applying is to install the accepted or the modified route on a router.

37. (Original) The system of claim 35 wherein the means for applying is to modify attributes of the route by at least one of changing an attribute, creating a new attribute, or deleting an attribute of the route.

38. (Original) The system of claim 27 wherein the means for parameterizing is to:  
identify one or more common blocks of policy statements, the common blocks being common to more than one routing policy; and  
generate a commonized routing policy from the one or more common blocks, and  
wherein the means for applying is to reuse the commonized routing policy by calling the commonized routing policy from within the more than one routing policy which uses the common blocks.

39. (Original) The system of claim 38 wherein the means for parameterizing is to assign parameters to at least some of the policy statements of the common blocks to parameterize the at least some policy statements in the common blocks.

40. (Currently Amended) A machine-readable storage medium that provides instructions, which when executed by one or more processors, cause said processors to perform operations comprising:

parameterizing a routing policy, wherein the parameterizing includes identifying one or more common blocks of policy statements within the routing policy, assigning sets of parameters to elements of the one or more common blocks, and enabling a hierarchical arrangement of the one or more common blocks of policy statements within the routing policy; and

applying the ~~parameterized-routing~~ parameterized routing policy to a route.

41. (Currently Amended) The machine-readable storage medium of claim 40 wherein the instructions, when ~~further~~ executed by one or more of said processors cause said processors to perform operations, wherein the routing policy ~~comprises~~ includes a plurality of policy statements, and wherein parameterizing ~~comprises~~ includes assigning parameters to at least some of the policy statements and refraining from assigning parameters to at least some other of the policy statements to generate the ~~parameterized-routing~~ parameterized routing policy.

42. (Currently Amended) The machine-readable storage medium of claim 40 wherein the instructions, when ~~further~~ executed by one or more of said processors cause said processors to perform operations, wherein parameterizing ~~comprises~~ includes: for the routing policy, generating at least one parameterized-policy statement having an associated set of parameters for one of either a customer or a customer class.

43. (Currently Amended) The machine-readable storage medium of claim 40 wherein the instructions, when ~~further~~ executed by one or more of said processors cause said processors to perform operations wherein the routing policy ~~comprises~~ includes a plurality of policy statements, each policy statement having one or more differing values associated with one or more customers or customer classes.

44. (Currently Amended) The machine-readable storage medium of claim 43 wherein the instructions, when ~~further~~ executed by one or more of said processors cause said processors to perform operations wherein parameterizing ~~comprises~~ includes assigning parameters to the one or more differing values of the policy statements.

45. (Currently Amended) The machine-readable storage medium of claim 40 wherein the instructions, when further executed by one or more of said processors cause said processors to perform operations ~~comprising~~ including:

~~identifying one or more common blocks of policy statements within the policy;~~  
~~assigning sets of parameters to elements of the one or more common blocks; and~~  
storing the parameter sets in a parameter table, the table associating each set of parameters with either [[the]] a customer or [[the]] a customer class.

46. (Currently Amended) The machine-readable storage medium of claim 45 wherein the instructions, when ~~further~~ executed by one or more of said processors cause said processors to perform operations ~~comprising~~ including reusing the common blocks in the ~~parameterized-~~  
~~routing~~ parameterized routing policy.

47. (Currently Amended) The machine-readable storage medium of claim 45 wherein the instructions, when ~~further~~ executed by one or more of said processors cause said processors to perform operations ~~comprising~~ including reusing the common blocks in another ~~parameterized-~~  
~~routing~~ parameterized routing policy.

48. (Currently Amended) The machine-readable storage medium of claim 46 wherein the instructions, when ~~further~~ executed by one or more of said processors cause said processors to perform operations ~~comprising~~ including reusing the common blocks comprises calling a parameterized policy with parameters from the parameter table based on one of either the customer or the customer class.

49. (Currently Amended) The machine-readable storage medium of claim 45 wherein the instructions, when ~~further~~ executed by one or more of said processors cause said processors to perform operations ~~comprising~~ including applying further comprises determining at least one of whether to accept the route, whether to modify attributes of the route, or whether to send the route or the modified route to peer routing systems.

50. (Currently Amended) The machine-readable storage medium of claim 40 wherein the instructions, when ~~further~~ executed by one or more of said processors cause said processors to perform operations ~~further comprising~~ including:

identifying one or more common blocks of policy statements, the common blocks being common to more than one routing policy;

generating a commonized routing policy from the one or more common blocks; and

reusing the commonized routing policy by calling the commonized routing policy from within the more than one routing policy which uses the common blocks.

51-132. (Canceled)